


Pro Dash 5.0 Build 49

This update contains V5.0.49 software. This version will work with Holley EFI HP, Dominator, and Terminator V4 and V5 ECU's. It will work with Terminator X and Terminator X Max ECU's. It will work with Sniper ECU's as well.

You will need to extract the files onto the root folder of a USB memory stick. See image below, the .bin files can NOT be stored under any directory. They must be placed in the root of the "USB DRIVE".



Installation Instructions

Once the update process starts, it is important to not remove power until after the update process is complete.

1. Open the .zip file and copy the individual .bin file(s) to the root folder of a USB memory stick. Ensure you eject/safely remove the USB memory stick from your computer.
2. Power off your dash
3. With the dash powered off, insert the USB memory stick into one of the USB ports on the dash
4. Power on the dash. After a short time you should see a message that it is updating the software. Wait until you see the gauge screen appear before continuing.
5. Turn off the dash and remove the USB stick.

Note to installers:

Click the 'About' button from the configuration menu of the dash after it powers back up to verify the firmware update has been applied, it should read "ProDash SW version 5.0 build 49". If it does not, with your USB stick still plugged in, go back to the main menu, choose the 'Configuration' button and select 'Update Firmware'.

After the update file is accepted, it will change the filename to *installed_fw-dash-5.0.49.tgz* or *installed_pro-dash-5.0.49.bin*. If you need to update multiple units, rename the file on the USB memory stick to remove the 'installed_' prefix. (i.e., rename the file back to *pro-dash-5.0.49.bin*)